

**FALAK PHARMACY**  
**2730 E.TREMONT AVE , BRONX , NY , 10461**  
**Phone#: 7185975230 Fax#: 7185972886**

**Drug NDC:** 00078-0727-15  
**Drug Name:** JADENU SPRINKLE 90MG

**How should I use this medicine?**

Take this medicine by mouth. Follow the directions on the prescription label. Take this medicine on an empty stomach, at least 30 minutes before or 2 hours after food. Take your medicine at regular intervals. Do not take it more often than directed. Do not stop taking except on your doctor's advice. Talk to your pediatrician regarding the use of this medicine in children. While this medicine may be prescribed for children as young as 2 years of age for selected conditions, precautions do apply.

**Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.** NOTE: This medicine is only for you. Do not share this medicine with others.

**Where should I keep my medicine?**

Keep out of the reach of children. Store at room temperature between 15 and 30 degrees C (59 and 86 degrees F). Throw away any unused medicine after the expiration date.

**NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.**

**What side effects may I notice from receiving this medicine?**

Side effects that you should report to your doctor or health care professional as soon as possible: allergic reactions like skin rash, itching or hives, swelling of the face, lips, or tongue; changes in vision; decreased hearing; fever or chills, sore throat; fever with rash, swollen lymph nodes, or swelling of the face; redness, blistering, peeling or loosening of skin, including inside the mouth; signs and symptoms of bleeding such as bloody or black, tarry stools; spitting up blood or brown material that looks like coffee grounds; signs and symptoms of liver injury like dark yellow or brown urine; general ill feeling or flu-like symptoms; light-colored stools; loss of appetite; nausea; right upper belly pain; unusually weak or tired; yellowing of the eyes or skin; trouble passing urine or change in the amount of urine; unusual bleeding or bruising. Side effects that usually do not require medical attention (report these to your doctor or health care professional if they continue or are bothersome): diarrhea; nausea, vomiting; stomach pain; trouble sleeping.

**This list may not describe all possible side effects. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**